






TECHNICAL CHARACTERISTICS

GB

LAYOUTS

	EASY	STARLETT COMFORT	EVOLUTION	ALIZÉ CONNECT
ISLAND BED		 480CP • 5,00 x 2,15 m	 490CP • 5,00 x 2,15 m	 560CP • 5,80 x 2,15 m
FRENCH BED		 400CP • 4,20 x 2,15 m	 520CP • 5,20 x 2,15 m	 520CP • 5,20 x 2,15 m
TWIN BED	 470LJ • 4,70 x 2,15 m	 450LJ • 4,20 x 2,15 m	 492LJ • 5,00 x 2,15 m	 550LJ • 5,80 x 2,15 m
TRANSVERSE BED	 350CP • 3,50 x 1,95 m  390CP • 4,00 x 1,95 m	 420CP • 4,20 x 1,95 m		
BUNK BEDS	 380CE • 3,80 x 2,15 m  496PE • 5,00 x 2,15 m	 470PE • 4,70 x 2,15 m  490PE • 5,00 x 2,15 m	 496PE • 5,00 x 2,15 m	

All the layouts presented here are in day versions. All night versions are available on our website.

EASY

The “featherweight” models for you to equip however you want



sleeps 2 to 6



from 900 to 1,300 kg



STARLETT COMFORT

The essentials are standard, including comfort and style



sleeps 4 to 6



from 1,200 to 1,500 kg



EVOLUTION

The all-season caravan, fully equipped



sleeps 4 to 6



from 1,400 to 1,500 kg



ALIZÉ CONNECT

Excellence by Sterckeman



sleeps 4



from 1,600 to 1,900 kg



○ EASY	350CP	380CE KID'S	390CP	420CP	470LJ	470PE KID'S	490PE KID'S	496PE KID'S
WEIGHTS & DIMENSIONS								
Berths	2	4	3	4	3	6	6	6
Overall Length (m)	5,20	5,50	5,70	5,90	6,40	6,40	6,70	6,70
External body length (m)	4,10	4,40	4,60	4,80	5,30	5,30	5,60	5,60
Internal length (m)	3,50	3,80	4,00	4,20	4,70	4,70	5,00	5,00
Overall height (m)	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width (m)	2,10	2,30	2,10	2,10	2,10	2,30	2,30	2,30
Internal width (m)	1,95	2,15	1,95	1,95	1,95	2,15	2,15	2,15
Empty weight (Kg)	720	785	730	770	900	920	975	970
Mass in running order (Kg) +/-5%	747	812	757	797	927	947	1002	997
Max authorised weight (Kg)	900	1100	1000	1000	1200	1200	1300	1300
Administrative payload increase (Kg)	850 / 1000	1300	900	900	1100 / 1300	1100 / 1300	1200	1200
Technical payload increase (Kg)	N/A	N/A	1300	1300	N/A	N/A	1500	1500
Awning Length (m) +/- 5%	7,97	8,27	8,47	8,67	9,17	9,17	9,47	9,47
Spare wheel dimensions	185/70 R14	175R14C	185/70 R14	185/70 R14	175R14C	175R14C	175R14C	175R14C
CHASSIS								
Shock-absorbers (3 kg)	P	P	P	P	P	P	P	P
AKS 3004 (3 kg)	P	P	P	P	P	P	P	P
Steel spare wheel (16 kg)	O	O	O	O	O	O	O	O
Spare-wheel fixation in gas trunk (2 kg)	P	P	P	P	P	P	P	P
Alloy wheels (16kg)	O	O	O	O	O	O	O	O
Luggage door (75x30 cm) (2 kg)	P	P	P	P	P	P	P	P
Bicycle storage	-	S (105x65)	-	-	-	S (105x65)	S (105x65)	S (105x105)
Opening windows	3	5	3	3	4	5	5	6
Front window (3 kg)	O	O	O	O	O	O	O	O

○ EASY	350CP	380CE	390CP	420CP	470LJ	470PE	490PE	496PE
EQUIPMENT								
Skylight 70x50 (cm) (2 kg)	O	O	O	O	O	O	O	O
Boiler Trumatherme 5L/230V (4 Kg)	O	O	O	O	O	O	O	O
CARAHEAT (2kg)	O	O	O	O	-	-	-	-
Blown air Trumavent 12V (4 kg)	-	-	-	-	O	O	O	O
Mosquito-net entrance door (3 kg)	O	O	O	O	O	O	O	O
Air-conditioning (30kg)	O	O	O	O	O	O	O	O
Upholstery Saigon & Comfort matrass 15cm (8 kg)	O	O	O	O	O	O	O	O
LED spotlights for reading with USB (1 kg)	O	O	O	O	O	O	O	O
KITCHEN								
85L fridge (Gas/12V/230V)	S	S	S	S	S	S	-	-
Compressor refrigerator XL Freeze 150L (17 kg)	-	S	-	-	-	O	S	S
Waste water tank 30L (wheeled) (3 kg)	O	O	O	O	O	O	O	O
Fresh water tank 50L (3 kg)	-	-	-	-	-	-	-	O
BATHROOM								
Shower curtain (2 kg)	-	-	-	-	-	-	-	P
Flexible handshower (2 kg)	O	O	O	O	O	O	O	P
Curtain & shower column (3 kg)	-	-	-	-	-	-	-	P
Thetford cassette toilet	S (Electr.)	S (Electr.)	S (Electr.)	S (Electr.)	S (Electr.)	S (Manuel)	S (Electr.)	S (Electr.)
BEDROOM								
Dimensions front bed (cm)	140x195	145/150x210	140x195	140x195	70/95x195/205	140x210	140x210	140x210
Dimensions centre bed (cm)	65\55x190	-	-	100x170	-	110x170	100 x 170	100x170
Dimensions rear bed (cm)	-	(75x210)x2	125/90x190	-	125/90x190	(75x210) x2	(75x210)x2	(85x185)x2
ELECTRICAL INSTALLATION								
Leisure Battery preparation (2kg)	O	O	O	O	O	O	O	O
Sockets 230V	S2	S 2	S2	S2	S3	S3	S3	S 3

EQUIPMENT SERIE

- CHASSIS
- GRP Roof, Front, Back & Under-floor
 - Exclusive XPS insulation
 - AWNING LIGHT

- EQUIPMENT
- TRUMATIC 3004 Gas heater
 - Combined blinds & fly nets
 - Leisure Air-conditioning preparation
 - LED lights in ceiling

- KITCHEN
- Stainless steel sink & 3 burners
 - Fresh water tank 25L (wheeled)
 - LED lights

- BATHROOM
- Shower tray

- BEDROOM
- Comfort mattresses (12cm)

- ELECTRICAL INSTALLATION
- Transformer / charger module 230V/12V including ground fault circuit breaker
 - TV-preparation (socket and cable)

TOURING PACK (10KG)

- Shock-absorbers
- AKS 3004
- Spare-wheel fixation in gas trunk
- Luggage door (75x30cm)

PERFORMANCE PACK (15KG)

- Skylight 70x50 (cm)
- Boiler Trumatherme 5L/230V
- Mosquito-net entrance door
- LED spotlights for reading with USB
- Waste water tank 30L (wheeled)
- Flexible handshower

○ STARLETT COMFORT	420CP	400CP	450LJ	480CP	470PE KID'S	490PE KID'S
WEIGHT & DIMENSIONS						
Berths	4	4	4	4	6	6
Overall length (m)	5,90	5,90	6,40	6,70	6,40	6,70
External body length (m)	4,82	4,83	5,32	5,62	5,32	5,62
Internal length (m)	4,20	4,20	4,70	5,00	4,70	5,00
Overall height (m) / Internal height (m)	2,58 /1,95	2,58 /1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,10	2,30	2,30	2,30	2,30	2,30
Internal width (m)	1,95	2,15	2,15	2,15	2,15	2,15
Empty weight (m)	870	890	960	1010	1020	1080
Mass in running order (kg) +/-5%	897	917	987	1054	1047	1107
Max authorized weight (kg)	1200	1300	1300	1300	1300	1500
Administrative payload increase (kg)	1300	1200	1500	1500	1500	1400
Awning length (m) +/-5%	8,94	8,94	9,44	9,74	9,44	9,74
Spare wheel dimensions	175R14C	174R14C	175R14C	175R14C	175R14C	175R14C
CHASSIS						
ATC (5 kg)	○	○	○	○	○	○
Heavy duty corner steadies (6 kg)	○	○	○	○	○	○
Alu wheels and steel spare wheel (16 kg)	○	○	○	○	○	○
Opening windows	4	5	5	6	6	6
Front window (3 kg)	S	S	○	○	S	S
Steel spare wheel (16 kg)	○	○	○	○	○	○
Bicycle storage	-	-	-	-	S (170x55)	S (105x65)
Air-conditioning	○	○	○	○	○	○

○ STARLETT COMFORT	420CP	400CP	450LJ	480CP	470PE K.	490PE K.
EQUIPMENT						
Blown air Trumavent 12V (4 kg)	○	○	○	○	○	○
ULTRA HEAT (4 Kg)	○	○	○	○	○	○
Boiler Trumat 10L Gas/electric (11 kg) *	-	○	-	-	-	-
Mosquito-net entrance door (3 kg)	○	○	○	○	○	○
Storage pockets	S 1	-	-	-	S 2	S 1
KITCHEN						
85L fridge (Gas/12V/230V)	S	S	S	S	○	-
Compressor fridge XL Freeze 150L (17 kg)	-	-	-	○	S	S
Compressor fridge 140L (8 kg)	○	○	-	-	-	-
Shelf for spices	S	S	-	S	S	S
BATHROOM						
Thetford electric cassette toilet	S	S	S	S	Manuel	S
Shower column, curtain & flexible handshower (7 kg)	-	○	-	-	-	-
BEDROOM						
Dimensions front bed (cm)	140x195	200x140	(85x195) and (85x200) or 195x210	150x200	140x210	140x210
Dimensions centre bed (cm)	100x170	-	-	-	110x170	130x170
Dimensions rear bed (cm)	-	185x110	100x210	120/110x210	75x180 and 75x210	(75x210)x2
ELECTRICAL INSTALLATION						
Sockets 230V	S 3	S 4	S 4	S 4	S 5	S 5
Leisure battery preparation (2 kg)	○	○	○	S	○	○
Electrical floor heating (5 kg)	○	○	○	○	-	-

* not possible with Luggage door

EQUIPMENT SERIE

- CHASSIS
- Longer corner steadies
 - Wheel trims
 - Awning light
 - 3rd brake light
 - ABS rear bumper with integrated rear lights
 - ABS gas locker
 - Spare-wheel fixation in gas trunk
 - Exclusive IRP Technology
 - Leisure Air-conditioning preparation

- EQUIPMENT
- TRUMATIC 3004 Gas heater
 - Combined blinds & fly nets
 - TV-preparation (socket and cable)
 - Storage under cupboards

- KITCHEN
- Stainless steel sink & 3 burners
 - Fresh water tank 50L
 - LED lightning

- BATHROOM
- Shower tray

- BEDROOM
- Bed gas strut

- ELECTRICAL INSTALLATION
- Transformer/charger module 230V/12V including ground fault circuit breaker

ALL-INCLUSIVE PACK COMFORT

- Shock-absorbers
- AKS 3004
- Luggage door (100x40cm)
- GRP Roof, Sides & Under-floor
- Boiler Trumatherme 5L/230V
- Skylight 700*500
- Cushions Comfort «plus»
- LED spotlights for reading with USB
- Waste water tank 30L (wheeled)
- Flexible handshower
- Comfort matresse (15 cm) in parents bed
- Electronic control panel

PACK SPORTING (19KG)

- Alu wheels and steel spare wheel
- Mosquito-net entrance door

PACK ARCTIC (39KG)

- Air-conditioning
- ULTRA HEAT
- Electrical floor heating

○ EVOLUTION	490CP	492LJ	496PE KID'S	520CP
WEIGHT & DIMENSIONS				
Berths	4	4	6	4
Overall length (m)	6,75	6,75	6,95	6,95
External body length (m)	5,62	5,62	5,82	5,82
Internal length (m)	5,00	5,00	5,20	5,20
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,30	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15	2,15
Empty weight (m)	1110	1170	1180	1150
Mass in running order (kg) +/-5%	1127	1187	1197	1167
Max authorized weight (kg)	1500	1500	1500	1500
Administrative payload increase (kg)	1400	1400	1400	1400
Technical payload increase (kg)	1700	1700	1700	1700
Awning length (m) +/-5%	9,74	9,74	9,94	9,94
Spare wheel dimensions	175R14C	175R14C	175R14C	175R14C
CHASSIS				
ATC (5 kg)	○	○	○	○
Alu wheels and steel spare wheel (16 kg)	○	○	○	○
Opening windows	7	8	7	6
Front window (3 kg)	○	S	S	○
Steel spare wheel (16 kg)	○	○	○	○
Drawbar cover (2 kg)	○	○	○	○
Bicycle storage	-	-	S (105 x 105)	-
Air-conditioning	○	○	○	○
Bike stand preparation rear	S	S	-	S

○ EVOLUTION	490CP	492LJ	496PE KID'S	520CP
EQUIPMENT				
ULTRA HEAT (4 kg)	○	○	○	○
Boiler Trumatherme 5L/230V	S	S	-	S
Boiler Trumatherme 14L/230V	-	-	S	S
Boiler Trumatherme 10L/230V/Gas (11 kg)	-	-	○	○
Skylight Heiki 2 (2 kg)	○	○	-	○
Storage pockets	-	-	S 4	S 2
Carpet (7 kg)	○	○	○	○
Kit Comfort (5 kg)	○	○	-	○
BATHROOM				
Shower curtain (2 kg)	○	○	-	-
Flexible handshower	S	S	-	S
Shower column, folding door and polyester walls	-	-	S	S
BEDROOM				
Dimensions front bed (cm)	150x200	(85x195) and (85x200) or 195x210	140x205	140/135x200
Dimensions centre bed (cm)	-	-	180x130	-
Dimensions rear bed (cm)	110/120x210	130/120x210	(75x190)x2	160/130x210
ELECTRICAL INSTALLATION				
Sockets 230V	S 4	S 4	S 6	S 4
Electrical floor heating (5 kg)	○	○	○	○

EQUIPMENT SERIE

- CHASSIS
- Shock-absorbers
 - AKS 3004
 - Longer corner steadies
 - Heavy duty corner steadies
 - Wheel trims
 - Awning light
 - 3rd brake light
 - Luggage door (100x40cm)
 - Leisure Air-conditioning preparation
 - CRP Roof, Sides & Under-floor
 - Exclusive IRP Technology

- EQUIPMENT
- TRUMATIC 3004 Gas heater
 - Blown air Trumavent 12V
 - Smoke detector
 - Combined blinds & fly nets
 - Mosquito-net entrance door
 - Entrance door with window
 - Skylight 700*500
 - TV-preparation (socket and cable)
 - TV Brackett
 - Illuminated mirror
 - LED Lightning

- KITCHEN
- Stainless steel sink & 3 burners
 - Compressor fridge XL Freeze 150L
 - Fresh water tank 50L
 - Waste water tank 30L (wheeled)
 - Spice rack
 - LED lightning

- BATHROOM
- Thetford electric cassette toilet
 - Shower tray

- BEDROOM
- Bed gas strut
 - Comfort matresse (15 cm) in parents bed
 - LED lights and 2 spotlights with USB

- ELECTRICAL INSTALLATION
- Transformer/charger module 230V/12V including ground fault circuit breaker
 - Electronic control panel «Lux»
 - USB sockets
 - Leisure battery preparation

PACK ARCTIC (39KG)

- Air-conditioning
- ULTRA HEAT
- Electrical floor heating

○ ALIZÉ CONNECT	520CP	550LJ	560CP
WEIGHT & DIMENSIONS			
Berths	4	4	4
Overall length (m)	7,20	7,80	7,80
External body length (m)	5,98	6,58	6,58
Internal length (m)	5,20	5,80	5,80
Overall height (m) / Internal height (m)	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width (m)	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15
Empty weight (m)	1440	1520	1520
Mass in running order (kg) +/-5%	1457	1537	1537
Max authorized weight (kg)	1800	1900	1900
Administrative payload increase (kg)	1700	1800	1800
Awning length (m) +/-5%	9,87	10,47	10,47
Spare wheel dimensions	195R14C	195R14C	195R14C
CHASSIS			
ATC (5 kg)	○	○	○
Opening windows	7	7	7
Air-conditioning (30 kg)	○	○	○
EQUIPMENT			
Carpet (7 kg)	○	○	○
BEDROOM			
Dimensions front bed (cm)	130 / 150x210	140 / 150x210	140 / 150x210
Dimensions rear bed (cm)	140x200	85x200 & 85x210	150x200
Beadspread	-	S	-
ELECTRICAL INSTALLATION			
Sockets 230V	S 6	S 6	S 6
USB sockets	S 2	S 2	S 2
Electrical floor heating (5 kg)	○	○	○

«S» : Standard , «O» : Optional « - » : Not available, «P»: Pack

EQUIPMENT SERIE

CHASSIS

- Shock-absorbers
- AKS 3004
- Heavy duty corner steadies
- Alu wheels
- Awning light
- 3rd brake light
- Steel spare wheel
- Drawbar cover
- Luggage door (100x40cm)
- Leisure Air-conditioning preparation
- Electric doorstep
- XL Entrance door (Hartal 61 cm)
- GRP Roof, Sides & Under-floor
- Exclusive IRP Technology
- Bike stand preparation rear

EQUIPMENT

- Combi 6E boiler (10L) and heater
- Blown air 12V integrated in Combi 6E
- Combined blinds & fly nets
- Mosquito-net entrance door
- Skylight 700*500
- Skylight Heiki 2
- Skyview window
- TV-preparation (socket and cable)
- SAT- preparation
- Solar panel preparation
- TV Brackett
- TV socket in awning
- LED lightning
- Smoke detector

KITCHEN

- Stainless steel sink & 3 burners
- Exterior gas socket
- Extractor hood
- Gas oven
- Fridge 140L slim tower
- Fresh water tank 50L
- Waste water tank 30L (wheeled)
- Spice rack
- LED lightning

BATHROOM

- Thetford electric cassette toilet
- Exterior water socket
- Separated shower

BEDROOM

- Slatted bed bases and adjustable head part
- Bed gas strut
- Comfort mattresses (17 cm)
- LED lightning

ELECTRICAL INSTALLATION

- Transformer/charger module 230V/12V including ground fault circuit breaker
- Electronic control panel «Lux» with Truma I-Net
- Truma I-Box for smartphone
- Leisure battery preparation

DECORS

EASY



TORONTO



PLATA



SAÏGON*

*Paying Option

STARLETT
COMFORT



HANOÏ



CAMBRIDGE

EVOLUTION



AMSTERDAM



AUSTIN

ALIZÉ
CONNECT



CANBERRA

IMPORTANT : adding optional equipment reduces the user payload.
The Mass in Running Order includes the weight of the caravan with the standard equipment.



TRIGANO VDL - CUSTOMER SERVICE CENTER - 130 route de Lamastre - 07300 Tournon-sur-Rhône - France
www.sterckeman-caravans.com