

Sterckeman.

GB



TECHNICAL CHARACTERISTICS 2022

LAYOUTS



BUNK BEDS

EASY ★★★



380CE KID'S

5,50 x 2,30 m x 4

EASY ★★★



470PE KID'S

6,40 x 2,30 m x 6

EASY ★★★



490PE KID'S

6,70 x 2,30 m x 6

EASY ★★★



496PE KID'S

6,70 x 2,30 m x 6

EASY ★★★



497PE KID'S

6,70 x 2,30 m x 7

EVOLUTION ★★★★★



496PE KID'S


6,95 x 2,30 m x 4

EVOLUTION ★★★★★



580PE KID'S **NEW**

7,55 x 2,30 m x 6



ISLAND BED

EVOLUTION ★★★★★



490CP

6,75 x 2,30 m x 4

EVOLUTION ★★★★★



540CP **NEW**

7,35 x 2,30 m x 4

ALIZE ★★★★★



560CP


7,80 x 2,30 m x 4

See dedicated brochure



480CP **NEW**

6,70 x 2,30 m x 4



TWIN BEDS


EASY ★★★



472LJ

6,40 x 2,10 m x 4

EVOLUTION ★★★★★



492LJ

6,75 x 2,30 m x 4


EVOLUTION ★★★★★



542LJ **NEW**

7,35 x 2,30 m x 4

ALIZE ★★★★★



550LJ

7,80 x 2,30 m x 4

See dedicated brochure



450LJ

6,40 x 2,30 m x 4



TRANSVERSE BED

EASY ★★★



350CP

5,20 x 2,10 m x 2

EASY ★★★



390CP

5,70 x 2,10 m x 4

EASY ★★★



420CP

5,90 x 2,10 m x 4

EASY ★★★



430CP


6,20 x 2,30 m x 4

EVOLUTION ★★★★★



520CP

6,95 x 2,30 m x 4



FRENCH BED

See dedicated brochure



470CP

6,40 x 2,30 m x 4

Graphite
ANSWER 347



Easy



Page **6-7**

The "featherweight" models for you to fit out however you like.



Sleeps
2 to 7



from
850 kg



Evolution



Page **8-9**

The all-season caravan, fully equipped.



Sleeps
4 to 6



from
1400 kg



Alize



Page **10-11**

Excellence
by Sterckeman



Sleeps 4



from
1800 kg

Collection 2022

Easy



Evolution



Alize



The **EASY** in more detail...



FURNITURE



FABRIC
NAPOLI



FABRIC
OTTAWA



FURNITURE
(PACK COMFORT)



FABRIC
SIDNEY
(PACK COMFORT)

The **EVOLUTION** in more detail...



FURNITURE



FABRIC
BERLIN



FABRIC
LONDON



FABRIC
PARIS
(OPTION)

The **ALIZE** in more detail...



FURNITURE



FABRIC
CANBERRA



Easy ★★★

	350CP	380CE KID'S	390CP	420CP	430CP	470PE KID'S	472LJ	490PE KID'S	496PE KID'S	497PE KID'S
WEIGHTS (M) & DIMENSIONS (KG)										
Berths	2	4	4	4	4	6	4	6	6	7
Overall Length	5,20	5,50	5,70	5,90	6,20	6,40	6,40	6,70	6,70	6,70
External body length	4,10	4,40	4,60	4,80	5,10	5,30	5,30	5,60	5,60	5,60
Internal length	3,50	3,80	4,00	4,20	4,50	4,70	4,70	5,00	5,00	5,00
Overall height / Internal height	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width	2,10	2,30	2,10	2,10	2,30	2,30	2,10	2,30	2,30	2,30
Internal width	1,95	2,15	1,95	1,95	2,15	2,15	1,95	2,15	2,15	2,15
Empty weight	740	805	740	785	950	990	925	1010	1010	1020
Mass in running order +/-5%	767 / 817*	832 / 882*	777 / 830*	822 / 872*	977 / 1027*	1017 / 1067*	952 / 1005*	1047 / 1100*	1047 / 1100*	1057 / 1110*
Max authorised weight	1000 / 1100*	1000 / 1100*	1000 / 1100*	1000 / 1100*	1200	1200	1200	1300	1300	1300
Administrative payload increase	850 / 1300	950 / 1300	950 / 1300	950 / 1300	1300	1100 / 1300	1100 / 1300	1200 / 1500	1200 / 1500	1200 / 1500
Awning Length (m) +/- 5%	7,97	8,27	8,47	8,67	8,97	9,17	9,17	9,47	9,47	9,47
Spare wheel dimensions	185 / 70 R14	175 R14C	185 / 70 R14	185 / 70 R14	175 R14C	175 R14C	175 R14C	175 R14C	175 R14C	175 R14C
CHASSIS										
Shock-absorbers (3 kg)	P	P	P	P	P	P	P	P	P	P
AKS 3004 (3 kg)	P	P	P	P	P	P	P	P	P	P
Steel spare wheel (16 kg)	O	O	O	O	O	O	O	O	O	O
Spare-wheel fixation in gas trunk (2 kg)	P	P	P	P	P	P	P	P	P	P
Aluminum wheels (16 kg)	O	O	O	O	O	O	O	O	O	O
Luggage door (100x40cm) (2 kg)	P	P	P	P	P	P	P	P	P	P
Bicycle storage	✗	✓ 105 x 65	✗	✗	✗	✓ 105 x 65	✗	✓ 105 x 65	✓ 105 x 105	✓ 105 x 105
Opening windows	3	5	4	3	4	5	5	5	6	7
Front window (3 kg)	O	O	O	O	O	O	O	O	O	O

* With pack Comfort.

IMPORTANT : adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.



Find the technical info at
www.sterckeman-caravans.com



VIDEOS & 360°



TECHNICAL INFO



OPTIONS

✓ STANDARD ○ OPTIONAL ✗ NOT AVAILABLE P PACK



	350CP	380CE KID'S	390CP	420CP	430CP	470PE KID'S	472LJ	490PE KID'S	496PE KID'S	497PE KID'S
EQUIPMENT										
Skylight 70x50 (cm) (2 kg)	O	O	O	O	O	O	O	O	O	O
Boiler Trumatherme 5L/230V (4 kg)	P	P	P	P	P	P	P	P	P	P
Blown air Trumavent 12V (4kg)	O	O	O	O	O	O	O	O	O	O
ULTRA HEAT (4 kg)	O	O	O	O	O	O	O	O	O	O
Mosquito-net entrance door (3 kg)	O	O	O	O	O	O	O	O	O	O
Air-conditioning (30 kg)	O	O	O	O	O	O	O	O	O	O
KITCHEN										
85L fridge (Gas/12V/230V)	✓	✗	✓	✓	✗	✓	✓	✗	✗	✗
Compressor refrigerator XL Freeze 150L (15 kg)	✗	✓	✗	✗	✓	O	✗	✓	✓	✓
Waste water tank 30L (wheeled) (3 kg)	P	P	P	P	P	P	P	P	P	P
Fresh water tank 50L (3 kg)	P	P	P	P	P	P	P	P	P	P
BATHROOM										
Shower curtain (2 kg)	P	P	P	P	P	P	P	P	P	P
Flexible handshower (2 kg)	P	P	P	P	P	P	P	P	P	P
Curtain & shower column (3 kg)	✗	✗	P/✓*	✗	✗	✗	P/✓*	✗	P/✓*	P/✓*
Thetford cassette toilet	✓ (Elec.)	✓ (Elec.)	✓ (Elec.)	✓ (Elec.)	✓ (Elec.)	✓ (Manual)	✓ (Elec.)	✓ (Elec.)	✓ (Elec.)	✓ (Elec.)
BEDROOM										
Dimensions front bed (cm)	140 x 195 or 195/205 x 195	145/150 x 210	140 x 195	140 x 195	150 x 210	140 x 210	70/95 x 195/205 or 195/205 x 195	140 x 210	140 x 210	140 x 210
Dimensions centre bed (cm)	55/65 x 190	✗	✗	100 x 170	✗	110 x 170	✗	100 x 170	100 x 170	100 x 170
Dimensions rear bed (cm)	✗	(75 x 210) x 2	125/90 x 190	✗	145/120 x 190	(75 x 210) x 2	125/90 x 190	(75 x 210) x 2	(85 x 185) x 2	(85 x 185) x 3
ELECTRICAL INSTALLATION										
Leisure Battery preparation (2kg)	O	O	O	O	O	O	O	O	O	O
Electrical floor heating (5 kg)	O	✗	O	O	O	O	O	O	O	O
Sockets 230V	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3	✓ 3



EQUIPMENT AS STANDARD

- GRP Roof, Front, Back & Under-floor
- Exclusive XPS insulation
- Awning light
- 3rd brake light
- Bike stand preparation rear
- TRUMATIC 3004 Gas heater
- Combined blinds & fly nets
- Leisure Air-conditioning preparation
- LED lights in ceiling
- Stainless steel sink & 3 burners
- Fresh water tank 25L (wheeled)
- Shower tray
- Comfort mattresses (12cm)
- Transformer / charger module 230V/12V including ground fault circuit breaker
- Living room light dimmer
- TV-preparation (socket and cable)



HAMMERED SHEET METAL



FRONT PART



REAR PART



FURNITURE



FABRIC OTTAWA



FABRIC NAPOLI

PACK SHOWER EASY

- Boiler Trumatherme 5L/230V
- Flexible handshower
- Shower curtain
- Shower column (depending on model)



8 KG

PACK TOURING

- Shock-absorbers
- AKS 3004
- Luggage door (100x40cm)
- Spare-wheel fixation
- Fresh water tank 50L
- Waste water tank 30L (wheeled)



14 KG

PACK COMFORT

- GRP sides
- AKS 3004
- Shock-absorbers
- Luggage door (100x40cm)
- Boiler Trumatherme 5L/230V
- Flexible handshower
- Waste water tank 30L (wheeled)
- Fresh water tank 50L
- Skylight 70x50 (cm)
- Entrance door accessories
- Exclusive cushions "Sidney"
- Comfort matresse (15 cm) in parents bed
- Bi-color cupboard doors
- Backlit under cupboard storage
- LED lights x4
- Shower curtain
- Spare-wheel fixation in gas trunk



GRP SIDES



FRONT PART



REAR PART



FURNITURE



FABRIC SIDNEY



Evolution ★ ★ ★ ★

					NEW	NEW	NEW
	490CP	492LJ	496PE KID'S	520CP	540CP	542LJ	580PE KID'S
WEIGHT (M) & DIMENSIONS (KG)							
Berths	4	4	6	4	4	4	6
Overall length	6,75	6,75	6,95	6,95	7,35	7,35	7,55
External body length	5,60	5,60	5,80	5,80	6,20	6,20	6,40
Internal length	5,00	5,00	5,20	5,20	5,60	5,60	5,80
Overall height / Internal height	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width	2,30	2,30	2,30	2,30	2,30	2,30	2,30
Internal width	2,15	2,15	2,15	2,15	2,15	2,15	2,15
Empty weight	1110	1170	1190	1165	1285	1285	1335
Mass in running order +/-5%	1127	1187	1207	1182	1302	1302	1352
Max authorized weight	1500	1500	1500	1500	1500	1500	1600
Administrative payload increase	1400	1400	1400	1400	1800	1800	1800
Technical payload increase	1800	1800	1800	1800	N/A	N/A	N/A
Awning length +/-5%	9,74	9,74	9,94	9,94	10,34	10,34	10,54
Spare wheel dimensions	175 R14C	175 R14C	175 R14C	175 R14C	185 R14C	185 R14C	185 R14C
CHASSIS							
ATC (5 kg)	O	O	O	O	O	O	O
Aluminum wheels and steel spare wheel (16 kg)	O / P	O / P	O / P	O / P	O / P	O / P	O / P
Steel spare wheel (16 kg)	O	O	O	O	O	O	O
Aluminum spare wheel (16 kg)	P	P	P	P	P	P	P
Spare-wheel fixation (2 kg)	P	P	P	P	P	P	P
Opening windows	7	8	7	6	7	7	6
Front window (3 kg)	O	O	✓	✗	✓	✓	✓
Drawbar cover (2 kg)	P	P	P	P	P	P	P
Bicycle storage	✗	✗	✓ 105 x 105 cm	✗	✗	✗	✓ 105 x 105 cm
Air-conditioning (30 kg)	O	O	O	O	O	O	O
TV socket in awning (1 kg)	P	P	P	P	P	P	P
Exterior Gas socket (1 kg)	P	P	P	P	P	P	P
Exterior handshower socket (1 kg)	P	P	P	P	P	P	P
Exterior city water socket (1 kg)	P	P	P	P	P	P	P
Electric doorstep (7 kg)	P	P	P	P	P	P	P



Find the technical info at
www.sterckeman-caravans.com



VIDEOS & 360°



TECHNICAL INFO



OPTIONS

✓ STANDARD ○ OPTIONAL ✗ NOT AVAILABLE P PACK



	490CP	492LJ	496PE KID'S	520CP	NEW 540CP	NEW 542LJ	NEW 580PE KID'S
EQUIPMENT							
TRUMATIC 3004 Gas heater	✓	✓	✓	✓	✗	✗	✗
Truma Combi 4	✗	✗	✗	✗	✓	✓	✓
Truma Combi 6E (16 kg)	✗	✗	✗	✗	P	P	P
ULTRA HEAT (4 kg)	O	O	O	O	✗	✗	✗
Boiler Trumatherme 5L/230V	✓	✓	✗	✗	✗	✗	✗
Boiler Trumatherme 14L/230V	✗	✗	✓	✓	✗	✗	✗
Boiler Trumatherme 10L/230V/Gas (11 kg)	✗	✗	O	O	✗	✗	✗
Smoke detector (1 kg)	P	P	P	P	P	P	P
XL Entrance door (61 cm)	✗	✗	✗	✗	✓	✓	✓
Skylight Heiki 2 (90x60 cm) (2 kg)	P	P	✗	P	P	P	P
Skyview window	✗	✗	✗	✗	✓	✓	✗
Storage pockets	✗	✗	✓ ⁴	✓ ²	✓ ²	✓ ²	✓ ⁴
Carpet (7 kg)	O	O	O	O	O	O	O
Cushions "Paris" (0 kg)	O	O	O	O	O	O	O
Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions) (5 kg)	O	O	O	O	O	O	O
KITCHEN							
Compressor fridge XL Freeze 150L	✓	✓	✓	✓	✓	✓	✓
Fresh water tank 50L	✓	✓	✓	✓	✓	✓	✓
Waste water tank 30L (wheeled)	✓	✓	✓	✓	✓	✓	✓
BATHROOM							
Shower curtain	✓	✓	✗	✗	✗	✗	✗
Flexible handshower	✓	✓	✗	✓	✓	✓	✓
Ventilated skylight (40x40 cm) with towel rail (2 kg)	P	P	P	P	P	P	P
Shower column, folding door and polyester walls	✗	✗	✓	✓	Variobad	Variobad	✓
BEDROOM							
Dimensions front bed (cm)	150 x 200	(85 x 195) and (85 x 200) or 195 x 210	140 x 205	140/135 x 200	150/120 x 210	150/130 x 210	160 x 205
Dimensions centre bed (cm)	✗	✗	180 x 130	✗	✗	✗	180 x 130
Dimensions rear bed (cm)	125/110 x 210	130/120 x 210	(75 x 190) x 2	160/130 x 210	150 x 200	(85 x 200) x 2 or 200 x 210	(75 x 190) x 2
ELECTRICAL INSTALLATION							
TRUMA I-NET & I-Box for smartphone (0,5 kg)	P	P	P	P	P	P	P
Sockets 230V / USB sockets	✓ 4 / ✓	✓ 4 / ✓	✓ 5 / ✓	✓ 4 / ✓	✓ 5 / ✗	✓ 5 / ✗	✓ 5 / ✓
Electrical floor heating (5 kg)	O	O	O	O	O	O	O

EQUIPMENT AS STANDARD

- Shock-absorbers
- AKS 3004
- Longer corner steadies
- Heavy duty corner steadies
- Wheel trims
- Awning light
- 3rd brake light
- Luggage door (100x40cm)
- Leisure Air-conditioning preparation
- GRP Roof, Sides & Under-floor
- Exclusive IRP Technology
- Bike stand preparation rear
- Blown air Trumavent 12V
- Combined blinds & fly nets
- Mosquito-net entrance door
- Entrance door with window
- Skylight (50x70 cm)
- TV-preparation (socket and cable)
- TV Brackett
- Illuminated mirror
- LED Lighting
- Stainless steel sink & 3 burners
- Compressor fridge XL Freeze 150L
- Fresh water tank 50L
- Waste water tank 30L (wheeled)
- LED lighting
- Thetford electric cassette toilet
- Shower tray
- Bed gas strut
- Comfort matresse (15 cm) in parents bed
- LED lights and 2 spotlights with USB
- Transformer/charger module 230V/12V including ground fault circuit breaker
- Electronic control panel "Lux"
- Living room light dimmer
- Leisure battery preparation



GRP SIDES



FRONT PART



REAR PART



FURNITURE



FABRIC
BERLIN



FABRIC
LONDON



FABRIC
PARIS
(OPTION)

PACK PREMIUM

- Skylight Heiki 2 (90x60 cm)
- Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions)
- Aluminum spare wheel
- Exterior Gas socket
- Electric doorstep
- Exterior handshower socket
- Exterior city water socket
- TV socket in awning
- Luggage door (75x30 cm) (except 496PE and 580PE)
- Drawbar cover
- Administrative payload increase
- Smoke detector
- Truma I-net box for smartphone
- TRUMA COMBI 6E (only for 542LJ, 540CP and 580PE)
- Ventilated skylight (40x40 cm) with towel rail

51 KG

PACK ARCTIC

- Air-conditioning
- ULTRA HEAT
- Electrical floor heating

39 KG



Alize ★★★★★

WEIGHT (M) & DIMENSIONS (KG)

	550LJ	560CP
Berths	4	4
Overall length	7,80	7,80
External body length	6,60	6,60
Internal length	5,80	5,80
Overall height / Internal height	2,58 / 1,95	2,58 / 1,95
Overall width	2,30	2,30
Internal width	2,15	2,15
Empty weight	1520	1520
Mass in running order +/-5%	1537	1537
Max authorized weight	1900	1900
Administrative payload increase	1800	1800
Awning length +/-5%	10,47	10,47
Spare wheel dimensions	195 R14 C	195 R14 C
CHASSIS		
Shock-absorbers	✓	✓
AKS 3004	✓	✓
ATC (5 kg)	○	○
Heavy duty corner steadies	✓	✓
Aluminum wheels and steel spare wheel	✓	✓
Awning light	✓	✓
Opening windows	7	7
3rd brake light	✓	✓
Steel spare wheel	✓	✓
Drawbar cover	✓	✓
Luggage door (100x40cm)	✓ 2	✓ 2
Leisure Air-conditioning preparation	✓	✓
Air-conditioning (30 kg)	○	○
Electric doorstep	✓	✓
XL Entrance door (Hartal 61 cm)	✓	✓
GRP Roof, Sides & Under-floor	✓	✓
Exclusive IRP Technology	✓	✓
Bike stand preparation rear	✓	✓

EQUIPMENT

	550LJ	560CP
Combi 6E boiler (10L) and heater	✓	✓
Blown air 12V integrated in Combi 6E	✓	✓
Combined blinds & fly nets	✓	✓
Mosquito-net entrance door	✓	✓
Skylight (50x70 cm)	✓	✓
Skylight Heiki 2 (90x60 cm)	✓	✓
Skyview window	✓	✓
TV-preparation (socket and cable)	✓	✓
SAT- preparation	✓	✓
Solar panel preparation	✓	✓
TV Brackett	✓	✓
TV socket in awning	✓	✓
LED lightning	✓	✓
Smoke detector	✓	✓
Carpet (7 kg)	○	○
KITCHEN		
Stainless steel sink & 3 burners	✓	✓
Fridge 140L slim tower	✓	✓
Fresh water tank 50L	✓	✓
Waste water tank 30L (wheeled)	✓	✓
BATHROOM		
Thetford electric cassette toilet	✓	✓
Exterior city water socket	✓	✓
Separated shower	✓	✓
BEDROOM		
Dimensions front bed (cm)	140/150 x 210	140/150 x 210
Dimensions rear bed (cm)	85 x 200 85 x 210	150 x 200
Bedspread	✓	✗
ELECTRICAL INSTALLATION		
Sockets 230V	✓ 6	✓ 6
USB sockets	✓ 2	✓ 2
Electrical floor heating (5 kg)	○	○



Find the technical info at
www.sterckeman-caravans.com



VIDEOS & 360°



TECHNICAL INFO



OPTIONS

ZOOM on...



+ Included in the Connect Pack:

TRUMA COMBI 6E

This combines the heating and water heater functions in a single appliance.

The Truma Combi 6E is a powerful warm air heater (6000 W) with integrated hot water generator.

It allows the heating to be run in gas mode, electricity mode, or combi mode. For use when stationary at the campsite, you can run the Combi heating with the 12 V transformer without using the onboard power supply.

+ Included in the Connect Pack:

TRUMA I-NET & I-BOX

Control the heating and air conditioning from the application on your smartphone.

The Truma iNet Box is a central control unit that networks the Truma appliances in the caravan.

The iNet Box can be used to control the Truma Combi heating and/or air conditioning remotely with a smartphone or tablet, wherever the user is, and can also check the gas level.



EQUIPMENT AS STANDARD

- Shock-absorbers
- AKS 3004
- Heavy duty corner steadies
- Aluminum wheels and steel spare wheel
- Awning light
- 3rd brake light
- Steel spare wheel
- Drawbar cover
- Luggage door (100x40cm) x 2
- Leisure Air-conditioning preparation
- Electric doorstep
- XL Entrance door (Hartal 61 cm)
- GRP Roof, Sides & Under-floor
- Exclusive IRP Technology
- Bike stand preparation rear
- Combi 6E boiler (10L) and heater
- Blown air 12V integrated in Combi 6E
- Combined blinds & fly nets
- Mosquito-net entrance door
- Skylight (50x70 cm)
- Skylight Heiki 2 (90x60 cm)
- Skyview window
- TV-preparation (socket and cable)
- SAT- preparation
- Solar panel preparation
- TV Brackett
- TV socket in awning
- LED lightning
- Smoke detector
- Stainless steel sink & 3 burners
- Exterior gas socket
- Extractor hood
- Gas oven
- Fridge 140L slim tower
- Fresh water tank 50L
- Waste water tank 30L (wheeled)
- Spice rack
- LED lightning
- Thetford electric cassette toilet
- Exterior city water socket
- Separated shower
- Slatted bed bases and adjustable head part
- Bed gas strut
- Comfort mattresses (17 cm)
- Transformer/charger module 230V/12V including ground fault circuit breaker
- Electronic control panel "Lux" with Truma I-Net
- TRUMA I-NET & I-Box for smartphone
- Living room light dimmer
- Leisure battery preparation




GRP SIDES



FRONT PART



REAR PART



FURNITURE



FABRIC
CANBERRA

PACK CONNECT

- Combi 6E boiler (10L) and heater
- Aluminum wheels
- Roue de Secours Aluminium
- Spare-wheel fixation
- Drawbar cover
- TV-preparation HDMI (socket and cable)
- Solar panel preparation
- Gas oven
- Extractor hood
- Exterior city water socket
- TV socket in awning
- Ventilated skylight (40x40 cm) with towel rail
- 2nd Luggage door (100x40cm)
- Slatted bed bases and adjustable head part
- Comfort mattresses (17 cm)
- TRUMA I-NET & I-Box for smartphone
- Curved lounge with headrests
- Electric doorstep
- Folding table on central base with flexible plate
- Technical payload increase 1900KG
- Skylight (50x70 cm)
- Skylight Heiki 2 (90x60 cm)
- Floor-level night lighting
- Shower column with light
- LED lights under cupboards
- Smoke detector



More to discover

Our fully equipped version!

REQUEST OUR
DOCUMENTATION

www.sterckeman-caravans.com

Graphite
ANNIVERSARY



Sterckeman.

TRIGANO VDL
1, avenue de Rochebonne - CS 69003 -
07302 TOURNON-SUR-RHÔNE CEDEX
FRANCE



Find the technical info at
www.sterckeman-caravan.com

